

HIP AND THIGH CONDITIONS
DISABILITY BENEFITS QUESTIONNAIRE

Name of Patient/Veteran

Patient/Veteran's Social Security Number

Date of examination:

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) **WILL NOT PAY OR REIMBURSE** ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM.

Note - The Veteran is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. VA may obtain additional medical information, including an examination, if necessary, to complete VA's review of the Veteran's application. VA reserves the right to confirm the authenticity of ALL completed questionnaires. **It is intended that this questionnaire will be completed by the Veteran's healthcare provider.**

Are you completing this Disability Benefits Questionnaire at the request of:

☐ Veteran/Claimant☐ Third party (please list name(s) of organization(s) or individual(s))☐ Other: please describeAre you a VA Healthcare provider? ☐ Yes ☐ NoIs the Veteran regularly seen as a patient in your clinic? ☐ Yes ☐ NoWas the Veteran examined in person? ☐ Yes ☐ No

If no, how was the examination conducted?

EVIDENCE REVIEW

Evidence reviewed:

☐ No records were reviewed☐ Records reviewed

Please identify the evidence reviewed (e.g. service treatment records, VA treatment records, private treatment records) and the date range.

SECTION I - DIAGNOSIS

Note: These are condition(s) for which an evaluation has been requested on the exam request form (Internal VA) or for which the Veteran has requested medical evidence be provided for submission to VA.

1A. List the claimed conditions that pertain to this questionnaire:

Note: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in the remarks section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis or an approximate date determined through record review or reported history.

1B. Select diagnoses associated with the claimed condition(s) (check all that apply):

☐ The Veteran does not have a current diagnosis associated with any claimed conditions listed above. (Explain your findings and reasons in the remarks section)

	Side affected:			ICD Code:	Date of diagnosis:	
	<input type="radio"/> Right	<input type="radio"/> Left	<input type="radio"/> Both		Right:	Left:
<input type="checkbox"/> Osteoarthritis, hip	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Hip joint replacement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Hip joint resurfacing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Trochanteric pain syndrome (includes trochanteric bursitis)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Femoral acetabular impingement syndrome (includes labral tears)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Iliopsoas tendinitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Femoral neck stress fracture	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Avascular necrosis, hip	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Ankylosis of hip joint	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Degenerative arthritis, other than posttraumatic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Arthritis, gonorrheal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Arthritis, pneumococcic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Arthritis, streptococcic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Arthritis, syphilitic	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Arthritis, rheumatoid (multi-joints)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Post-traumatic arthritis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Arthritis, typhoid	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Other specified forms of arthropathy (excluding gout) (specify)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Osteoporosis, residuals of	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Osteomalacia, residuals of	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Bones, neoplasm, benign	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Osteitis deformans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Gout	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Bursitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Myositis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Heterotopic ossification	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Tendinopathy (select one if known)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Tendinitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Tendinosis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		
<input type="checkbox"/> Tenosynovitis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<hr/>		

☐ Inflammatory other types (specify)

☐ Right

☐ Left

☐ Both

Right:

Left:

☐ Other (specify)

Other diagnosis #1

Side affected:

☐ Right

☐ Left

☐ Both

ICD Code:

Date of diagnosis:

Right:

Left:

Other diagnosis #2

Side affected:

☐ Right

☐ Left

☐ Both

ICD Code:

Date of diagnosis:

Right:

Left:

Other diagnosis #3

Side affected:

☐ Right

☐ Left

☐ Both

ICD Code:

Date of diagnosis:

Right:

Left:

If there are additional diagnoses that pertain to hip and thigh conditions, list using above format:

SECTION II - MEDICAL HISTORY

2A. Describe the history (including onset and course) of the Veteran's hip or thigh condition (brief summary):

2B. Does the Veteran report flare-ups of the hip or thigh?

☐ Yes

☐ No

If yes, document the Veteran's description of the flare-ups he/she experiences, including the frequency, duration, characteristics, precipitating and alleviating factors, severity and/or extent of functional impairment he or she experiences during a flare-up of symptoms.

2C. Does the Veteran report having any functional loss or functional impairment of the joint or extremity being evaluated on this questionnaire, including but not limited to after repeated use over time?

☐ Yes

☐ No

If yes, document the Veteran's description of functional loss or functional impairment in his/her own words.

SECTION III - RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATION

There are several separate parameters requested for describing function of a joint. The question "Does this ROM contribute to a functional loss?" asks if there is a functional loss that can be ascribed to any documented loss of range of motion; and, unlike later questions, does not take into account the numerous other factors to be considered. Subsequent questions take into account additional factors such as pain, fatigue, weakness, lack of endurance, or incoordination. If there is pain noted on examination, it is important to understand whether or not that pain itself contributes to functional loss. Ideally, a claimant would be seen immediately after repetitive use over time or during a flare-up; however, this is not always feasible.

Information regarding joint function on repetitive use is broken up into two subsets. The first subset is based on observed repetitive use, and the second is based on functional loss associated with repeated use over time. The observed repetitive use section initially asks for objective findings after three or more repetitions of range of motion testing. The second subset provides a more global picture of functional loss associated with repetitive use over time. The latter takes into account medical probability of additional functional loss as a global view. This takes into account not only the objective findings noted on the examination, but also the subjective history provided by the claimant, as well as review of the available medical evidence.

Optimally, a description of any additional loss of function should be provided - such as what the degrees of range of motion would be opined to look like after repetitive use over time. However, when this is not feasible, an "as clear as possible" description of that loss should be provided. This same information (minus the three repetitions) is asked to be provided with regards to flare-ups.

Right hip

Left hip

3A. Initial ROM measurements

3A. Initial ROM measurements

- ☐ All normal ☐ Abnormal or outside of normal range
- ☐ Unable to test ☐ Not indicated

- ☐ All normal ☐ Abnormal or outside of normal range
- ☐ Unable to test ☐ Not indicated

If "Unable to test" or "Not indicated" please explain:

If "Unable to test" or "Not indicated" please explain:

If ROM is outside of "normal" range, but is normal for the Veteran (for reason other than a hip/thigh condition, such as age, body habitus, neurologic disease), please describe:

If ROM is outside of "normal" range, but is normal for the Veteran (for reason other than a hip/thigh condition, such as age, body habitus, neurologic disease), please describe:

If abnormal, does the range of motion itself contribute to a functional loss?

- ☐ Yes ☐ No

(if yes, please explain)

If abnormal, does the range of motion itself contribute to a functional loss?

- ☐ Yes ☐ No

(if yes, please explain)

Note: For any joint condition, examiners should address pain on both passive and active motion, and on both weight-bearing and nonweight-bearing. Examiners should also test the contralateral joint (unless medically contraindicated). If testing cannot be performed or is medically contraindicated (such as it may cause the Veteran severe pain or the risk of further injury), an explanation must be given below. Please note any characteristics of pain observed on examination (such as facial expression or wincing on pressure or manipulation).

Can testing be performed? ☐ Yes ☐ No

If no, provide an explanation:

Can testing be performed? ☐ Yes ☐ No

If no, provide an explanation:

If this is the unclaimed joint, is it: ☐ Damaged ☐ Undamaged

If undamaged, range of motion testing must be conducted.

If this is the unclaimed joint, is it: ☐ Damaged ☐ Undamaged

If undamaged, range of motion testing must be conducted.

<p>Active Range of Motion (ROM) - Perform active range of motion and provide the ROM values.</p> <table style="width: 100%;"> <tr> <td style="width: 70%;">Flexion endpoint (125 degrees)</td> <td style="width: 30%;">degrees</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degrees</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degrees</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degrees</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degrees</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degrees</td> </tr> </table> <p>If noted on examination, which ROM exhibited pain (select all that apply):</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Flexion</td> <td><input type="checkbox"/> Abduction</td> <td><input type="checkbox"/> External Rotation</td> </tr> <tr> <td><input type="checkbox"/> Extension</td> <td><input type="checkbox"/> Adduction</td> <td><input type="checkbox"/> Internal Rotation</td> </tr> </table> <p>If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other; please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.</p> <div style="margin-left: 40px;"> <p>Flexion degree endpoint (if different than above)</p> <p>Extension degree endpoint (if different than above)</p> <p>Abduction degree endpoint (if different than above)</p> <p>Adduction degree endpoint (if different than above)</p> <p>External Rotation degree endpoint (if different than above)</p> <p>Internal Rotation degree endpoint (if different than above)</p> </div> <div style="border: 1px solid black; height: 150px; margin-top: 10px;"></div> <p>Does a limitation in adduction prevent the Veteran from crossing his/her legs?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p>	Flexion endpoint (125 degrees)	degrees	Extension endpoint (30 degrees)	degrees	Abduction endpoint (45 degrees)	degrees	Adduction endpoint (25 degrees)	degrees	External rotation endpoint (60 degrees)	degrees	Internal rotation endpoint (40 degrees)	degrees	<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation	<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation	<p>Active Range of Motion (ROM) - Perform active range of motion and provide the ROM values.</p> <table style="width: 100%;"> <tr> <td style="width: 70%;">Flexion endpoint (125 degrees)</td> <td style="width: 30%;">degrees</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degrees</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degrees</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degrees</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degrees</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degrees</td> </tr> </table> <p>If noted on examination, which ROM exhibited pain (select all that apply):</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Flexion</td> <td><input type="checkbox"/> Abduction</td> <td><input type="checkbox"/> External Rotation</td> </tr> <tr> <td><input type="checkbox"/> Extension</td> <td><input type="checkbox"/> Adduction</td> <td><input type="checkbox"/> Internal Rotation</td> </tr> </table> <p>If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other; please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.</p> <div style="margin-left: 40px;"> <p>Flexion degree endpoint (if different than above)</p> <p>Extension degree endpoint (if different than above)</p> <p>Abduction degree endpoint (if different than above)</p> <p>Adduction degree endpoint (if different than above)</p> <p>External Rotation degree endpoint (if different than above)</p> <p>Internal Rotation degree endpoint (if different than above)</p> </div> <div style="border: 1px solid black; height: 150px; margin-top: 10px;"></div> <p>Does a limitation in adduction prevent the Veteran from crossing his/her legs?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p>	Flexion endpoint (125 degrees)	degrees	Extension endpoint (30 degrees)	degrees	Abduction endpoint (45 degrees)	degrees	Adduction endpoint (25 degrees)	degrees	External rotation endpoint (60 degrees)	degrees	Internal rotation endpoint (40 degrees)	degrees	<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation	<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation												
Flexion endpoint (125 degrees)	degrees																																																
Extension endpoint (30 degrees)	degrees																																																
Abduction endpoint (45 degrees)	degrees																																																
Adduction endpoint (25 degrees)	degrees																																																
External rotation endpoint (60 degrees)	degrees																																																
Internal rotation endpoint (40 degrees)	degrees																																																
<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation																																															
<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation																																															
Flexion endpoint (125 degrees)	degrees																																																
Extension endpoint (30 degrees)	degrees																																																
Abduction endpoint (45 degrees)	degrees																																																
Adduction endpoint (25 degrees)	degrees																																																
External rotation endpoint (60 degrees)	degrees																																																
Internal rotation endpoint (40 degrees)	degrees																																																
<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation																																															
<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation																																															
<p>Passive Range of Motion - Perform passive range of motion and provide the ROM values.</p> <table style="width: 100%;"> <tr> <td style="width: 70%;">Flexion endpoint (125 degrees)</td> <td style="width: 10%;">degree</td> <td style="width: 20%;"><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> </table> <p>If noted on examination, which ROM exhibited pain (select all that apply):</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Flexion</td> <td><input type="checkbox"/> Abduction</td> <td><input type="checkbox"/> External Rotation</td> </tr> <tr> <td><input type="checkbox"/> Extension</td> <td><input type="checkbox"/> Adduction</td> <td><input type="checkbox"/> Internal Rotation</td> </tr> </table>	Flexion endpoint (125 degrees)	degree	<input type="checkbox"/> Same as active ROM	Extension endpoint (30 degrees)	degree	<input type="checkbox"/> Same as active ROM	Abduction endpoint (45 degrees)	degree	<input type="checkbox"/> Same as active ROM	Adduction endpoint (25 degrees)	degree	<input type="checkbox"/> Same as active ROM	External rotation endpoint (60 degrees)	degree	<input type="checkbox"/> Same as active ROM	Internal rotation endpoint (40 degrees)	degree	<input type="checkbox"/> Same as active ROM	<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation	<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation	<p>Passive Range of Motion - Perform passive range of motion and provide the ROM values.</p> <table style="width: 100%;"> <tr> <td style="width: 70%;">Flexion endpoint (125 degrees)</td> <td style="width: 10%;">degree</td> <td style="width: 20%;"><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degree</td> <td><input type="checkbox"/> Same as active ROM</td> </tr> </table> <p>If noted on examination, which ROM exhibited pain (select all that apply):</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Flexion</td> <td><input type="checkbox"/> Abduction</td> <td><input type="checkbox"/> External Rotation</td> </tr> <tr> <td><input type="checkbox"/> Extension</td> <td><input type="checkbox"/> Adduction</td> <td><input type="checkbox"/> Internal Rotation</td> </tr> </table>	Flexion endpoint (125 degrees)	degree	<input type="checkbox"/> Same as active ROM	Extension endpoint (30 degrees)	degree	<input type="checkbox"/> Same as active ROM	Abduction endpoint (45 degrees)	degree	<input type="checkbox"/> Same as active ROM	Adduction endpoint (25 degrees)	degree	<input type="checkbox"/> Same as active ROM	External rotation endpoint (60 degrees)	degree	<input type="checkbox"/> Same as active ROM	Internal rotation endpoint (40 degrees)	degree	<input type="checkbox"/> Same as active ROM	<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation	<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation
Flexion endpoint (125 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Extension endpoint (30 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Abduction endpoint (45 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Adduction endpoint (25 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
External rotation endpoint (60 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Internal rotation endpoint (40 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation																																															
<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation																																															
Flexion endpoint (125 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Extension endpoint (30 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Abduction endpoint (45 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Adduction endpoint (25 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
External rotation endpoint (60 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
Internal rotation endpoint (40 degrees)	degree	<input type="checkbox"/> Same as active ROM																																															
<input type="checkbox"/> Flexion	<input type="checkbox"/> Abduction	<input type="checkbox"/> External Rotation																																															
<input type="checkbox"/> Extension	<input type="checkbox"/> Adduction	<input type="checkbox"/> Internal Rotation																																															

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other; please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.

Flexion degree endpoint (if different than above)

Extension degree endpoint (if different than above)

Abduction degree endpoint (if different than above)

Adduction degree endpoint (if different than above)

External Rotation degree endpoint (if different than above)

Internal Rotation degree endpoint (if different than above)

Does a limitation in passive adduction prevent the Veteran from crossing his/her legs?

☐ Yes ☐ No

Is there evidence of pain? ☐ Yes ☐ No

If yes check all that apply.

☐ weight-bearing ☐ nonweight-bearing

☐ active motion ☐ passive motion

☐ on rest/non-movement

☐ causes functional loss (if checked describe in the comments box below)

☐ does not result in/cause functional loss

Comments:

Is there objective evidence of crepitus? ☐ Yes ☐ No

Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue?

☐ Yes ☐ No

If yes, please explain. Include location, severity, and relationship to condition(s).

If any limitation of motion is specifically attributable to pain, weakness, fatigability, incoordination, or other; please note the degree(s) in which limitation of motion is specifically attributable to the factors identified and describe.

Flexion degree endpoint (if different than above)

Extension degree endpoint (if different than above)

Abduction degree endpoint (if different than above)

Adduction degree endpoint (if different than above)

External Rotation degree endpoint (if different than above)

Internal Rotation degree endpoint (if different than above)

Does a limitation in passive adduction prevent the Veteran from crossing his/her legs?

☐ Yes ☐ No

Is there evidence of pain? ☐ Yes ☐ No

If yes check all that apply.

☐ weight-bearing ☐ nonweight-bearing

☐ active motion ☐ passive motion

☐ on rest/non-movement

☐ causes functional loss (if checked describe in the comments box below)

☐ does not result in/cause functional loss

Comments:

Is there objective evidence of crepitus? ☐ Yes ☐ No

Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue?

☐ Yes ☐ No

If yes, please explain. Include location, severity, and relationship to condition(s).

<p>3B. Observed repetitive use ROM</p> <p>Is the Veteran able to perform repetitive-use testing with at least three repetitions?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If no, please explain:</p> <div style="border: 1px solid black; height: 50px; width: 100%; margin-top: 5px;"></div> <p>Is there additional loss of function or range of motion after three repetitions?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If yes, please respond to the following after the completion of the three repetitions:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Flexion endpoint (125 degrees)</td> <td style="width: 40%;">degrees</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degrees</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degrees</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degrees</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degrees</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degrees</td> </tr> </table> <p>Does limitation in adduction after observed repetitive use prevent the Veteran from crossing his/her legs?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>Select factors that cause this functional loss: (check all that apply)</p> <p> <input type="checkbox"/> Pain <input type="checkbox"/> Fatigability <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination <input type="checkbox"/> Other <input type="checkbox"/> N/A </p>	Flexion endpoint (125 degrees)	degrees	Extension endpoint (30 degrees)	degrees	Abduction endpoint (45 degrees)	degrees	Adduction endpoint (25 degrees)	degrees	External rotation endpoint (60 degrees)	degrees	Internal rotation endpoint (40 degrees)	degrees	<p>3B. Observed repetitive use ROM</p> <p>Is the Veteran able to perform repetitive-use testing with at least three repetitions?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If no, please explain:</p> <div style="border: 1px solid black; height: 50px; width: 100%; margin-top: 5px;"></div> <p>Is there additional loss of function or range of motion after three repetitions?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>If yes, please respond to the following after the completion of the three repetitions:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Flexion endpoint (125 degrees)</td> <td style="width: 40%;">degrees</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degrees</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degrees</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degrees</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degrees</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degrees</td> </tr> </table> <p>Does limitation in adduction after observed repetitive use prevent the Veteran from crossing his/her legs?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>Select factors that cause this functional loss: (check all that apply)</p> <p> <input type="checkbox"/> Pain <input type="checkbox"/> Fatigability <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination <input type="checkbox"/> Other <input type="checkbox"/> N/A </p>	Flexion endpoint (125 degrees)	degrees	Extension endpoint (30 degrees)	degrees	Abduction endpoint (45 degrees)	degrees	Adduction endpoint (25 degrees)	degrees	External rotation endpoint (60 degrees)	degrees	Internal rotation endpoint (40 degrees)	degrees
Flexion endpoint (125 degrees)	degrees																								
Extension endpoint (30 degrees)	degrees																								
Abduction endpoint (45 degrees)	degrees																								
Adduction endpoint (25 degrees)	degrees																								
External rotation endpoint (60 degrees)	degrees																								
Internal rotation endpoint (40 degrees)	degrees																								
Flexion endpoint (125 degrees)	degrees																								
Extension endpoint (30 degrees)	degrees																								
Abduction endpoint (45 degrees)	degrees																								
Adduction endpoint (25 degrees)	degrees																								
External rotation endpoint (60 degrees)	degrees																								
Internal rotation endpoint (40 degrees)	degrees																								
<p><small>Note: When pain is associated with movement, the examiner must give a statement on whether pain could significantly limit functional ability during flare-ups and/or after repeated use over time in terms of additional loss of range of motion. In the exam report, the examiner is requested to provide an estimate of decreased range of motion (in degrees) that reflect frequency, duration, and during flare-ups - even if not directly observed during a flare-up and/or after repeated use over time.</small></p>																									
<p>3C. Repeated use over time</p> <p>Is the Veteran being examined immediately after repeated use over time?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>Select factors that cause this functional loss: (check all that apply)</p> <p> <input type="checkbox"/> Pain <input type="checkbox"/> Fatigability <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination <input type="checkbox"/> Other <input type="checkbox"/> N/A </p> <p>Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources including the lay statements of the Veteran.</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Flexion endpoint (125 degrees)</td> <td style="width: 40%;">degrees</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degrees</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degrees</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degrees</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degrees</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degrees</td> </tr> </table>	Flexion endpoint (125 degrees)	degrees	Extension endpoint (30 degrees)	degrees	Abduction endpoint (45 degrees)	degrees	Adduction endpoint (25 degrees)	degrees	External rotation endpoint (60 degrees)	degrees	Internal rotation endpoint (40 degrees)	degrees	<p>3C. Repeated use over time</p> <p>Is the Veteran being examined immediately after repeated use over time?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?</p> <p><input type="radio"/> Yes <input type="radio"/> No</p> <p>Select factors that cause this functional loss: (check all that apply)</p> <p> <input type="checkbox"/> Pain <input type="checkbox"/> Fatigability <input type="checkbox"/> Weakness <input type="checkbox"/> Lack of endurance <input type="checkbox"/> Incoordination <input type="checkbox"/> Other <input type="checkbox"/> N/A </p> <p>Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources including the lay statements of the Veteran.</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Flexion endpoint (125 degrees)</td> <td style="width: 40%;">degrees</td> </tr> <tr> <td>Extension endpoint (30 degrees)</td> <td>degrees</td> </tr> <tr> <td>Abduction endpoint (45 degrees)</td> <td>degrees</td> </tr> <tr> <td>Adduction endpoint (25 degrees)</td> <td>degrees</td> </tr> <tr> <td>External rotation endpoint (60 degrees)</td> <td>degrees</td> </tr> <tr> <td>Internal rotation endpoint (40 degrees)</td> <td>degrees</td> </tr> </table>	Flexion endpoint (125 degrees)	degrees	Extension endpoint (30 degrees)	degrees	Abduction endpoint (45 degrees)	degrees	Adduction endpoint (25 degrees)	degrees	External rotation endpoint (60 degrees)	degrees	Internal rotation endpoint (40 degrees)	degrees
Flexion endpoint (125 degrees)	degrees																								
Extension endpoint (30 degrees)	degrees																								
Abduction endpoint (45 degrees)	degrees																								
Adduction endpoint (25 degrees)	degrees																								
External rotation endpoint (60 degrees)	degrees																								
Internal rotation endpoint (40 degrees)	degrees																								
Flexion endpoint (125 degrees)	degrees																								
Extension endpoint (30 degrees)	degrees																								
Abduction endpoint (45 degrees)	degrees																								
Adduction endpoint (25 degrees)	degrees																								
External rotation endpoint (60 degrees)	degrees																								
Internal rotation endpoint (40 degrees)	degrees																								

The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed.

Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)

Does limitation in adduction after repeated use over time prevent the Veteran from crossing his/her legs?

☐ Yes ☐ No

3D. Flare-ups

Is the examination being conducted during a flare-up?

☐ Yes ☐ No

Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?

☐ Yes ☐ No

Select factors that cause this functional loss: (check all that apply)

☐ Pain ☐ Fatigability ☐ Weakness ☐ Lack of endurance
☐ Incoordination ☐ Other ☐ N/A

Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran.

Flexion endpoint (125 degrees) degrees

Extension endpoint (30 degrees) degrees

Abduction endpoint (45 degrees) degrees

Adduction endpoint (25 degrees) degrees

External rotation endpoint (60 degrees) degrees

Internal rotation endpoint (40 degrees) degrees

The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed.

Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)

Does limitation in adduction after repeated use over time prevent the Veteran from crossing his/her legs?

☐ Yes ☐ No

3D. Flare-ups

Is the examination being conducted during a flare-up?

☐ Yes ☐ No

Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?

☐ Yes ☐ No

Select factors that cause this functional loss: (check all that apply)

☐ Pain ☐ Fatigability ☐ Weakness ☐ Lack of endurance
☐ Incoordination ☐ Other ☐ N/A

Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran.

Flexion endpoint (125 degrees) degrees

Extension endpoint (30 degrees) degrees

Abduction endpoint (45 degrees) degrees

Adduction endpoint (25 degrees) degrees

External rotation endpoint (60 degrees) degrees

Internal rotation endpoint (40 degrees) degrees

The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed.

Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)

The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed.

Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)

Does limitation in adduction during flare-ups prevent the Veteran from crossing his/her legs? <input type="radio"/> Yes <input type="radio"/> No	Does limitation in adduction during flare-ups prevent the Veteran from crossing his/her legs? <input type="radio"/> Yes <input type="radio"/> No
3E. Additional factors contributing to disability	3E. Additional factors contributing to disability
In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:	In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:
<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"><input type="checkbox"/> None</div> <div style="width: 50%;"><input type="checkbox"/> Interference with sitting</div> <div style="width: 50%;"><input type="checkbox"/> Interference with standing</div> <div style="width: 50%;"><input type="checkbox"/> Swelling</div> <div style="width: 50%;"><input type="checkbox"/> Disturbance of locomotion</div> <div style="width: 50%;"><input type="checkbox"/> Deformity</div> <div style="width: 50%;"><input type="checkbox"/> Less movement than normal</div> <div style="width: 50%;"><input type="checkbox"/> More movement than normal</div> <div style="width: 50%;"><input type="checkbox"/> Weakened movement</div> <div style="width: 50%;"><input type="checkbox"/> Atrophy of disuse</div> <div style="width: 50%;"><input type="checkbox"/> Instability of station</div> <div style="width: 50%;"><input type="checkbox"/> Other, describe:</div> </div> <div style="border: 1px solid black; height: 80px; margin-top: 5px;"> Please describe additional contributing factors of disability: </div>	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"><input type="checkbox"/> None</div> <div style="width: 50%;"><input type="checkbox"/> Interference with sitting</div> <div style="width: 50%;"><input type="checkbox"/> Interference with standing</div> <div style="width: 50%;"><input type="checkbox"/> Swelling</div> <div style="width: 50%;"><input type="checkbox"/> Disturbance of locomotion</div> <div style="width: 50%;"><input type="checkbox"/> Deformity</div> <div style="width: 50%;"><input type="checkbox"/> Less movement than normal</div> <div style="width: 50%;"><input type="checkbox"/> More movement than normal</div> <div style="width: 50%;"><input type="checkbox"/> Weakened movement</div> <div style="width: 50%;"><input type="checkbox"/> Atrophy of disuse</div> <div style="width: 50%;"><input type="checkbox"/> Instability of station</div> <div style="width: 50%;"><input type="checkbox"/> Other, describe:</div> </div> <div style="border: 1px solid black; height: 80px; margin-top: 5px;"> Please describe additional contributing factors of disability: </div>

SECTION IV - MUSCLE ATROPHY

RIGHT HIP	LEFT HIP
4A. Does the Veteran have muscle atrophy? <input type="radio"/> Yes <input type="radio"/> No	4A. Does the Veteran have muscle atrophy? <input type="radio"/> Yes <input type="radio"/> No
4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section? <input type="radio"/> Yes <input type="radio"/> No If no, provide rationale:	4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section? <input type="radio"/> Yes <input type="radio"/> No If no, provide rationale:
<div style="border: 1px solid black; width: 100%; height: 100%;"></div>	<div style="border: 1px solid black; width: 100%; height: 100%;"></div>
4C. For any muscle atrophy due to a diagnosis listed in Section I, indicate specific location of atrophy, providing measurements in centimeters of normal side and corresponding atrophied side, measured at maximum muscle bulk.	4C. For any muscle atrophy due to a diagnosis listed in Section I, indicate specific location of atrophy, providing measurements in centimeters of normal side and corresponding atrophied side, measured at maximum muscle bulk.
<input type="checkbox"/> Right lower extremity (specify location of measurement such as "10cm above or below the hip"):	<input type="checkbox"/> Left lower extremity (specify location of measurement such as "10cm above or below the hip"):
Circumference of more normal side: cm Circumference of atrophied side: cm	Circumference of more normal side: cm Circumference of atrophied side: cm

SECTION V - ANKYLOSIS

RIGHT HIP	LEFT HIP
Note: Ankylosis is the immobilization of a joint due to disease, injury, or surgical procedure.	
5A. Is there ankylosis of the hip and/or thigh? <input type="radio"/> Yes <input type="radio"/> No If yes, indicate the severity of ankylosis:	5A. Is there ankylosis of the hip and/or thigh? <input type="radio"/> Yes <input type="radio"/> No If yes, indicate the severity of ankylosis:
<input type="checkbox"/> Unfavorable, extremely unfavorable ankylosis, foot not reaching ground, crutches needed <input type="checkbox"/> Intermediate, between favorable and unfavorable <input type="checkbox"/> Favorable, in flexion at an angle between 20 and 40 degrees, and slight abduction or adduction	<input type="checkbox"/> Unfavorable, extremely unfavorable ankylosis, foot not reaching ground, crutches needed <input type="checkbox"/> Intermediate, between favorable and unfavorable <input type="checkbox"/> Favorable, in flexion at an angle between 20 and 40 degrees, and slight abduction or adduction

SECTION VI - FEMUR OR FLAIL HIP JOINT IMPAIRMENT

RIGHT HIP

LEFT HIP

Note: If impairment of the femur causes an associated knee disability, please complete the additional appropriate questionnaire.

6A. Does the Veteran have malunion or non union of femur, flail hip joint or leg length discrepancy?

☐ Yes ☐ No

☐ Fracture of shaft or neck (anatomical), with nonunion with loose motion (spiral or oblique fracture)

☐ Fracture of shaft or neck (anatomical), resulting in nonunion without loose motion; weight-bearing preserved with aid of brace

☐ Fracture of surgical neck with false joint

☐ Malunion of the femur

☐ Flail hip joint

☐ Leg length discrepancy (shortening of any bones of the lower extremity) (If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters measuring from the anterior superior iliac spine to the internal malleolus of the tibia.)

Measurements: Right leg: ☐ cm ☐ inch

For any leg length discrepancy, please describe the relationship to the conditions listed in the diagnosis section above:

6A. Does the Veteran have malunion or non union of femur, flail hip joint or leg length discrepancy?

☐ Yes ☐ No

☐ Fracture of shaft or neck (anatomical), with nonunion with loose motion (spiral or oblique fracture)

☐ Fracture of shaft or neck (anatomical), resulting in nonunion without loose motion; weight-bearing preserved with aid of brace

☐ Fracture of surgical neck with false joint

☐ Malunion of the femur

☐ Flail hip joint

☐ Leg length discrepancy (shortening of any bones of the lower extremity) (If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters measuring from the anterior superior iliac spine to the internal malleolus of the tibia.)

Measurements: Left leg: ☐ cm ☐ inch

For any leg length discrepancy, please describe the relationship to the conditions listed in the diagnosis section above:

SECTION VII - SURGICAL PROCEDURES

RIGHT HIP

LEFT HIP

7A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested (check all that apply):

☐ No surgery

☐ Hip joint resurfacing Date of surgery:

☐ Total hip joint replacement Date of surgery:

Total hip joint replacement residuals:

☐ None

☐ Moderately severe residuals of weakness, pain or limitation of motion

☐ Markedly severe residuals of weakness, pain or limitation of motion following implantation of prosthesis

☐ Following implantation of prosthesis with painful motion or weakness such as to require the use of crutches

☐ Other, describe:

☐ Arthroscopic ligament repair Date of surgery:

☐ Other surgery not described (specify below): Date of surgery:

Type of surgery:

7A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested (check all that apply):

☐ No surgery

☐ Hip joint resurfacing Date of surgery:

☐ Total hip joint replacement Date of surgery:

Total hip joint replacement residuals:

☐ None

☐ Moderately severe residuals of weakness, pain or limitation of motion

☐ Markedly severe residuals of weakness, pain or limitation of motion following implantation of prosthesis

☐ Following implantation of prosthesis with painful motion or weakness such as to require the use of crutches

☐ Other, describe:

☐ Arthroscopic ligament repair Date of surgery:

☐ Other surgery not described (specify below): Date of surgery:

Type of surgery:

<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"><input type="checkbox"/> Residuals of arthroscopic or other hip surgery</div> <div style="border: 1px solid black; padding: 5px;">Describe residuals: <div style="border: 1px solid black; height: 100px; margin-top: 5px;"></div></div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"><input type="checkbox"/> Residuals of arthroscopic or other hip surgery</div> <div style="border: 1px solid black; padding: 5px;">Describe residuals: <div style="border: 1px solid black; height: 100px; margin-top: 5px;"></div></div>
---	---

SECTION VIII - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS, AND SCARS

8A. Does the Veteran have any other pertinent physical findings, complications, conditions, signs or symptoms related to any conditions listed in the diagnosis section above?

☐ Yes ☐ No If yes, describe (brief summary)

8B. Does the Veteran have any scars or other disfigurement (of the skin) related to any conditions or to the treatment of any conditions listed in the diagnosis section above?

☐ Yes ☐ No If yes, also complete the appropriate dermatological questionnaire.

SECTION IX - ASSISTIVE DEVICES

9A. Does the Veteran use any assistive devices as a normal mode of locomotion, although occasional locomotion by other methods may be possible?

☐ Yes ☐ No If yes, identify the assistive devices used (check all that apply and indicate frequency):

<input type="checkbox"/> Wheelchair	Frequency of use:	<input type="radio"/> Occasional	<input type="radio"/> Regular	<input type="radio"/> Constant
<input type="checkbox"/> Brace for ambulation	Frequency of use:	<input type="radio"/> Occasional	<input type="radio"/> Regular	<input type="radio"/> Constant
<input type="checkbox"/> Crutches	Frequency of use:	<input type="radio"/> Occasional	<input type="radio"/> Regular	<input type="radio"/> Constant
<input type="checkbox"/> Cane(s)	Frequency of use:	<input type="radio"/> Occasional	<input type="radio"/> Regular	<input type="radio"/> Constant
<input type="checkbox"/> Walker	Frequency of use:	<input type="radio"/> Occasional	<input type="radio"/> Regular	<input type="radio"/> Constant
<input type="checkbox"/> Other, describe: _____	Frequency of use:	<input type="radio"/> Occasional	<input type="radio"/> Regular	<input type="radio"/> Constant

9B. If the Veteran uses any assistive devices, specify the condition, indicate the side, and identify the assistive device used for each condition.

SECTION X - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES

Note: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prosthesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.

10A. Due to the Veterans hip or thigh condition(s), is there functional impairment of an extremity such that no effective functions remain other than that which would be equally well served by an amputation with prosthesis (functions of the lower extremity include balance and propulsion, etc.)?

☐ Yes, functioning is so diminished that amputation with prosthesis would equally serve the Veteran ☐ No

If yes, indicate extremities for which this applies: ☐ Right lower ☐ Left lower

10B. For each checked extremity, identify the condition causing loss of function, describe loss of effective function and provide specific examples (brief summary):

SECTION XI - DIAGNOSTIC TESTING

Note: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or post-traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.

11A. Have imaging studies been performed in conjunction with this examination? ☐ Yes ☐ No

11B. If yes, is degenerative or post-traumatic arthritis documented? ☐ Yes ☐ No

Indicate side. ☐ Right ☐ Left ☐ Both

11C. If yes provide type of test or procedure, date and results (brief summary):

11D. Are there any other significant diagnostic test findings or results related to the claimed condition(s) and/or diagnosis(es), that were reviewed in conjunction with this examination?

☐ Yes ☐ No

If yes, provide type of test or procedure, date and results (brief summary):

11E. If any test results are other than normal, indicate relationship of abnormal findings to diagnosed conditions:

SECTION XII - FUNCTIONAL IMPACT

Note: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.

12A. Regardless of the Veteran's current employment status, do the conditions listed in the diagnosis section impact his/her ability to perform any type of occupational task (such as standing, walking, lifting, sitting, etc.)?

☐ Yes ☐ No

If yes, describe the functional impact of each condition, providing one or more examples:

SECTION XIII - REMARKS

13A. Remarks (if any - please identify the section to which the remark pertains when appropriate).

SECTION XIV - EXAMINER'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

PENALTY: The law provides severe penalties which include fine or imprisonment, or both, for the willful submission of any statement or evidence of a material fact, knowing it to be false, or for the fraudulent acceptance of any payment to which you are not entitled.

14A. Examiner's signature:

14B. Examiner's printed name and title (e.g. MD, DO, DDS, DMD, Ph.D, Psy.D, NP, PA-C):

14C. Examiner's Area of Practice/Specialty (e.g. Cardiology, 9Orthopedics, Psychology/Psychiatry, General Practice):

14D. Date Signed:

14E. Examiner's phone/fax numbers:

14F. National Provider Identifier (NPI) number:

14G. Medical license number and state:

14H. Examiner's address: